




EN



RENEKA

**EXPERIENCE NEW EXTRACTION
TECHNOLOGY**



www.reneka.com



RENEKA

LIFE TOUCH

LED lighting, touchscreens, water consumption indicator...

This state-of-the-art series redefines the reliability and longevity of your appliance. New espresso machine.



LIFE TOUCH



LIFE 2 GR TOUCH BLACK SERIES
HC LATTE ART



LIFE 3 GR TOUCH DARK EDITION
HC LATTE ART



FEATURES

Cool Touch: This option is available for both push-button and tap-to-talk versions.

Illuminated cup area: The cup area can be illuminated for better visibility.

Anti-Pics Boiler: An automatic adjustment system that balances the brewing temperature.

GIDR: The temperature of the boiler and each individual brewing group can be set individually.

Automatic Cleaning Program: The brew heads and steam wands have an automatic cleaning program.

ECO mode: The machine can be switched to ECO mode during idle periods to save energy.

LCD Display: An LCD display for easy operation.

Mill Integration: This enables integrated control of the grinding and brewing process of the coffee beans on a single device, ensuring ease of use and time savings. Complete integration with the Dienes Baron coffee grinder guarantees flawless product production.

Steam nozzle	Hot water Outlet	Latte Art	Boiler Capacity	Connection	Power (W)	Weight (kg)	Width (mm)	Height (mm)	Depth (mm)
LIFE TOUCH 2 HC GR LA									
1 or 2	1	Available	11,4L	230V 50/60Hz 400V 50/60Hz	3300/ 3800	76	710	600	510
LIFE TOUCH 3 HC GR LA									
1 or 2	1	Available	17,4L	230V 50/60Hz 400V 50/60Hz	3300/ 3800	80	810	610	610



RENEKA

LIFE DARK EDITION

Experience coffee enjoyment on a new level with the Reneka Life 2AP Latte Art Espresso Machine. Specially designed for baristas and coffee lovers, this machine helps you create perfect latte art in every cup.



LIFE DARK EDITION



LIFE 2 GR DARK EDITION
LATTE ART



LIFE 3 GR DARK EDITION
HC LATTE ART



FEATURES

High-performance steam nozzle:

The powerful steam wand of the Reneka Life 2 GR Latte Art espresso machine ensures ideal milk foam and perfect texturizing. Create flawless latte art designs with creamy-smooth milk foam.


Precise temperature control: Thanks to advanced temperature control, milk is heated to the perfect temperature every time. This ensures that your lattes, cappuccinos, and other milk-based drinks are consistently delicious.

Ergonomisches und stilvolles Design: With its user-friendly and aesthetically pleasing design, the Life 2 Latte Art offers convenient use both at home and in cafés. Its compact design fits into any space.

Durable and reliable: Made from high-quality materials, this machine offers durable and reliable performance. Its robust construction, suitable even for intensive use, makes it ideal for both professional and private applications.

Manual steam outlet	Latte Art steam outlet	Latte Art Button	Hot Water Connection	Boiler Capacity (lt)	Connection	Power (W)	Weight (kg)	Width (mm)	Height (mm)	Depth (mm)
LIFE 2 GR DARK EDITION LA										
1	1	2	1	10	400V 50/60Hz	3100 3800	70	710	570	510
LIFE 3 GR DARK EDITION HC LA										
1	1	2	1	16,5	400V 50/60Hz	4000 5500	89	940	570	510

HC: Ergonomics and design are tailored for drinks in tall glasses. Extendable drawers allow for a reduction in work surface height. It's also easy to work with small glasses.



RENEKA

LIFE BLACK SERIES

EXPRESSION OF MODERN TECHNOLOGY

Stability of extraction temperature and group temperature control. LIFE and LIFE HIGH CUP demonstrate their efficiency regardless of user, volume, and environment.



LIFE BLACK SERIES



FEATURES

2 programmable dosing hot water outlets for tea quantities

- Illuminated cup tray
- Programmable pre-brewing function
- Electronic microprocessor, 6 options per group, magnetic coupling pump

-Aroma Perfect: -Aroma Perfect: For perfect coffee enjoyment every time and easy insertion of the filter holder into the brewing head

-Anti-Pics Kettle: Automatic control system that stabilizes the brewing temperature and eliminates the need for preventative rinsing cycles.


-GIDR: Temperature control for boiler and brew group

- Automatic cleaning program for brew head
- For to-go cups or smaller cups (in the LIFE HIGH CUP), simply use the cup tray
- ECO standby mode
- LCD display

Steam nozzle	Hot water outlet	Latte Art	Boiler capacity	Connection	Power (W)	Ağırlık (kg)	Width (mm)	Height (mm)	Depth (mm)
LIFE 1 GROUPE									
1	1	Available	6,2 L	230/50/60 Hz	2100	42	430	510	510
LIFE 2 GROUPE									
1 & 2	1	Available	11,4 L	230/400V 50/60 Hz	3300/3800	60	710	510	510
LIFE 3 GROUPE									
1 & 2	1		18,7 L	230/400V 50/60 Hz	4200/6200	80	930	510	510

Steam nozzle	Hot water outlet	Latte Art	Boiler Capacity	Connection	Power (W)	Weight (kg)	Width (mm)	Height (mm)	Depth (mm)
LIFE HIGH CUP 2 GRUPPE									
1 & 2	1	Available	11,4 L	230/400V 50/60 Hz	3300/3800	76	710	600	510
LIFE HIGH CUP 3 GRUPPE									
1 & 2	1	Available	18,7 L	230/400V 50/60 Hz	4200/6200	95	930	600	510

HC: Ergonomics and design are tailored for drinks in tall glasses. Extendable drawers allow for a reduction in work surface height. It's also easy to work with small glasses.



RENEKA

VIVA BASIC

Simple, elegant and efficient: VIVA – high-quality workmanship and easy operation



VIVA BASIC



FEATURES

Electronically controlled, programmable hot water mixing outlet Manual steam outlet with tap

Mechanical rotary lobe pump: 70 l/h

Aroma Perfect: Optimal coffee extraction quality and easy handling Soft, ergonomic handles

Cleaning program for the coffee cycle:


Press buttons 1 and 5 simultaneously to start a cycle.

Volumetric coffee program: 5 options per group

Milk frother: Latte Art and Latte Art (Optional)

Option: 4 programs | Latte / Hot milk / Cappuccino

Steam nozzle	Hot water outlet	Boiler capacity	Connection	Power (W)	Weight (kg)	Width (mm)	Height (mm)	Depth (mm)
VIVA 1 GR LA								
1	1	6,2L	230V 50/60Hz	2100W	42	430	510	510
VIVA 2 GR LA								
1 or 2	1	11,4L	230V/50/60 Hz 400V/50/60 Hz	3300W 3800W	60	710	510	510
VIVA 3 GR LA								
1 or 2		18,17L	230V/50/60 Hz 400V/50/60 Hz	4200W 6200W	80	930	510	510



RENEKA

MAYA

The Reneka Maya espresso machine, a product of technology and modern design, appeals to both the eye and the palate of coffee lovers.



RENEKA MAYA



FEATURES

Aroma Perfect: Ensures perfect coffee extraction every time and allows for easy attachment of the filter holder to the brew head.

Microsieve (Optional): Specifically designed for use with Aroma Perfect brew heads.

It leaves no coffee residue, is very easy to clean, and ensures a better coffee taste

Multi Coffee (Optional): It was developed for use with Aroma Perfect and offers the user maximum flexibility in coffee preparation, thereby increasing the enjoyment many times over.

Latte Art: It quickly and easily transforms milk into cream using two separate buttons. It quickly and easily transforms milk into cream using two separate buttons with 4 different setting options.



Hot water outlet	Boiler capacity	Connection	Power (W)	Weight (kg)	Width (mm)	Height (mm)	Depth (mm)
MAYA		2 GR LA					
1	5,8	230V 50/60Hz	Single-phase 3300	35	600	460	500







RENEKA RNK-64RDG COFFEE GRINDER



FEATURES

- New full-touch display, simple and intuitive
- New technology Silent System
- Intelligent Raffreddamento ventilation
- Humidity and temperature sensors
- Consumption statistics
- Continuous micrometric grinding adjustment
- Shortened nozzle for a small ground coffee retention.
- Removable café outlet duct, for further maintenance and maintenance
- Erogastric ejaculations are dispensed individually in 2 seconds.
- Single/double dose dispensing also with push button
- Adjustable cup holder
- Triple the dose to increase the effect
- Easily customizable logo via USB

TECHNICAL SPECIFICATIONS

Model: RNK-64RDG

Burrs: Ø 64 mm Flat

Hopper: 1200 g

Dimensions: 20x29x57 (H)cm

Weight: 14,5 Kg Netto

Power: 400 Watt / 220-240v / 50-60 Hz.

RPM: 1400 rpm

Packaging : 16 kg / Gross

OPTIONAL:

- PR-STACO Pressino applicable under the display of Macinacaffè
- RED SPEED machine
- Available version 110V





RENEKA RM60 COFFEE GRINDER



Preparing the perfect cup of espresso requires many different steps, and contrary to popular belief, simply choosing the right coffee isn't enough. For a successful result and the highest quality, the right combination of three factors is essential:

- *High-quality coffee
- *Proper use of the available equipment
- *The skill and professionalism of the espresso maker.

Another factor that influences espresso quality is the grinding process and the grinder used. Therefore, professionals place great importance on coffee grinders. These must possess qualities such as durability and functionality.

TECHNICAL SPECIFICATIONS

Model: Reneka RM60

Power: 350 Watt

Voltage: 220 V

Diameter of the grinding discs: 64 mm

Speed: 1350 rpm (50 Hz) – 1550 rpm (60 Hz)

Net weight: 14 kg

Dimensions : 230 x 615 x 270 mm





RENEKA RM60 SUPERFAST26



- Meet the Reneka RM Superfast coffee grinder with 26 grind weights, delivering a precise dose of coffee for every cup. It's the first coffee grinder with integrated scale-controlled dosing, designed for efficiency, speed, and consistency.
- The innovative Grind by Weight technology with scale-controlled instant dosing ensures maximum consistency and consistent quality for all your coffees.
- Patented scale-controlled coffee doser
- Consistent and highly accurate coffee dosing
- Minimal adjustment (automatic dose adjustment)
- Insulated and ventilated grinding chamber
- Designed for workflow and speed
- Instant dosing and optional operating modes

Two operating modes:

On-demand and pre-ground

On-Demand –Maximum freshness thanks to freshly ground coffee.

The coffee is ground when a portafilter is requested for 1 or 2 cups of coffee.

Pre-ground – Maximum performance during peak hours.

The grinder's doser holds one or two coffee portions. When the portafilter is requested, the dose is dispensed immediately.

TECHNICAL SPECIFICATIONS

Dimensions (H × W × D): 640 × 180 × 352 mm

Net weight: 16 kg

Connection rating: 230 V – 50 Hz

Power: 525 W

Grinding disc speed: 1350 rpm

Grinding discs: 64 mm

Bean hopper capacity: 1.5 kg

Hourly production output: 8 kg/hour

Grinding capacity: 4 g/s

Single dose: -18 g

Double dose: 5–28 g







MUTZIG

Mutzig is your reliable partner for modern coffee grinders. The redesigned grind setting adjuster meets the needs of every café, hotel, and barista. The new ventilation system ensures low heat generation, even in demanding environments. With Mutzig, you get every cup of coffee freshly ground – made to order.

SILENT GRINDING AND PRECISE GRIND SETTING; LOW HEAT GENERATION

Touchscreen

Low heat generation thanks to optimal ventilation

Constant grinding for perfect crema and full coffee aroma

Precise dosing through electronic control for consistent results

Individually adjustable single and double dosage

Daily dose counter, total dose counter and operating hours counter

Simple cleaning and maintenance system



Chrome & Black

Black & White



MICRO SIEVE

Highly reproducible micro-etching technology. More body and a more intense coffee aroma! For deeper extraction, a richer aroma, and more body, Reneka developed the patented "micro-mesh" filter basket. The result: no coffee residue, more body, significantly more complex aromas, and exceptionally easy cleaning. This exclusive Reneka micro-mesh filter basket is specially designed for the Aroma Perfect brew head. It features a filter with 15,000 holes (170 micrometers), compared to 563 holes (350 micrometers) in a standard coffee filter basket.

15.000 Holes

With 15,000 tiny microscopic holes, the micro-sieve ensures a consistent flow and maximizes the aroma of your coffee beans.

Tailor-made perfection

The micro-sieve is specially designed for selected coffee machines, easy to use and ensures a smooth brewing process.

Sustainable

The micro-filter is made from 92% recycled stainless steel. This means you not only enjoy excellent coffee, but also reduce your environmental footprint.



Micro Sieve
Faema (58mm)




Micro Sieve
La Cimbali (57mm)



Micro Sieve
La Cimbali (57mm)



Micro Sieve
Rancilio (58mm)



RENEKA



RENEKA INTERNATIONAL

Address:

3 Rue Jean Marie Lehn, 67560, Rosheim, France

Contact:

+90 549 524 93 21

E-mail:

info@renekatr.com

www.reneka.com